HP Latex Inks Substrate Certificate

Certified for HP Latex Inks















Supplier Name

Antalis

Substrate Name

Coala 1D 100 Matt P

Thickness / Weight

100 µm

Certification Date

May 20, 2015

Certification Number

July 06, 2016 - 24962

This substrate is hereby certified for HP Latex Printing Technologies

Color Concepts NL

This substrate is certified for the following HP Latex Printers

Latex 3000

For more information, please refer to the HP media Solutions Locator http://hp.com/go/mediasolutionslocator

This substrate has been evaluated under the standard comprehensive testing procedure, in conjunction with HP Latex substrate certification criteria.



Media Certification for HP Latex

Evaluation Report





Vendor Name*

Antalis

Date of evaluation

May 20, 2015

Platform

Latex 3000

Substrate Information

Substrate Name

Coala 1D 100 Matt P

Lot Number

0

Substrate Type

Self Adhesive Vinyl

Substrate Sub Type

Calendered Monomeric

Thickness / Weight

100 µm

Certification Number

July 06, 2016 - 24962

Qualification

PASS

Certification Center

Color Concepts NL

Profiling Process

Printer	Ink	RIP	Pass Mode	Vacuum	Airflow
Latex 3000	LX 881	Onyx 12	6p bi_110	15	95
Drying Temp.	Curing Temp.	Ink Limit	OMAS	WUDTO	PMIN
N/A	85	N	E	N/A	N/A

Image Quality

Color Gamut	L*min	Area Fill Uniformity
463390	10,1	AVERAGE

Media Printer Interaction

Ink Transfer	Marks	Wrinkles	Dim. Stability	Rewetting
N/A	GOOD	GOOD	-0,11%	GOOD, 22C, 63%RH

Image Handle Ability

Folding/Creasing	Scratchability	Dry Rub	Wet Rub	Cross Cut	Ink Adhesion	Ink Cracking
N/A	GOOD	AVERAGE	GOOD	N/A	GOOD	N/A
Ink Transfer	Waterfastness					
N/A	Water Resistan	t				

Overall Qualification

PASS

Comments

Media curls when wet. Does not hinder application.

In conjunction with Color Concepts

